


IP65 DOWNLIGHT


WATERPROOF & DUSTPROOF

Outdoor ready
High performance 135Lm/W
Durable design

7/25W ON/OFF DALI

AVANTIX®






AVANTIX®

We believe that light is the fourth dimension of architecture.
While most companies manufacture fixtures,
we craft experiences—starting from the most overlooked surface
in the room: the ceiling.

Our specialty lies in reimagining the humble downlight.
We have moved beyond the "plain white disc" to create sculptural
downlighting that serves as functional art.
Whether it is a seamless, plaster-in finish that disappears into the
surface or a bold, geometric design that acts as a ceiling jewel,
our fixtures are designed to be seen or intentionally unseen with equal precision.

We combine cutting-edge LED optics with an obsessive attention to materiality.
The result is light that doesn't just illuminate; it highlights, shadows, and evokes emotion.



AVANTIX[®]

We understand that the downlight is often the workhorse of a lighting scheme but it doesn't have to be boring. Our designs are born from a fusion of photometric science and aesthetic ingenuity.

Optical Precision:





Proprietary lens designs that deliver sharp cut-off angles and eliminate glare, ensuring visual comfort without sacrificing style up to 135Lm/W.


Creative Configurations:

Modular systems that allow architects to create patterns, waves, and grids of light across the ceiling plane.


Customization:

Bespoke finishes, trims, and color temperatures that blur the line between the fixture and the architecture design.







5 / 8W



10 / 15W




20 / 25W




DEEP #IN R01



WASHER #IN R02





SLOTTED #IN R03



PINHOLE #IN R04





Safety Instructions & Warranty

Installation must be performed by a qualified electrician with power disconnected at the breaker.

This fixture is rated IP65 (dust-tight and protected against water jets) — verify placement and wiring connections meet IP65 requirements before use.

Do not exceed the maximum wattage listed on the label.

Allow the unit to cool before handling, and do not disassemble or modify internal components.

Backed by a 50,000-hour rated lifespan warranty covering defects in materials and workmanship under normal use; damage from improper installation, unauthorized modification, or use outside rated conditions is not covered.